

Issue Organizer – Prova su strada 2

Prosegue la prova

In questo post proseguiamo il test dell'addon [Issue Organizer](#), andando a completare quanto iniziato nel precedente post.



Prova

Dopo aver visionato la configurazione dell'addon, proseguiamo con le operazioni di test vero e proprio. La prima cosa che notiamo è che nella toolbar laterale della schermata del progetto si presenta una nuova opzione: **Structure**.

The screenshot shows the JIRA interface for a project named 'Demo project - Esempio'. The top navigation bar includes 'Dashboards', 'Projects', 'Issues', 'JExcel', 'Structure', and a 'Create' button. The left sidebar contains a menu with 'Summary', 'Issues', 'Reports', 'Versions', and 'Structure' (which is highlighted). Below the menu is a 'PROJECT SHORTCUTS' section with links to 'Task management with JIRA', 'Business projects basics', and an 'Add link' button. The main content area is titled 'Activity' with a 'Switch view' dropdown. It displays a list of recent activities for April 04:

- JIRA Administrator created DPE-3 - demo1 test (04/Apr/16 3:03 PM) with links for Comment and Watch.
- FABIO GENOVESE created DPE-2 - test (04/Apr/16 2:16 PM) with links for Comment, Vote, and Watch.
- FABIO GENOVESE created DPE-1 - demo request (04/Apr/16 12:25 PM) with links for Comment, Vote, and Watch.


Se la andiamo a selezionare questo è quello che andiamo a scoprire ☐

The screenshot shows the 'Structure' page in JIRA for the 'Demo project - Esempio'. The left sidebar is the same as in the previous image, but the 'Structure' menu item is selected. The main content area is titled 'Structure' and features a toolbar with various icons for adding, moving, and deleting items. Below the toolbar is a 'JQL' search bar with a placeholder 'Enter JQL query'. A table displays the project structure:


Key	Summary	Progress	TP
Showing recent issues while the query is empty.			
DPE-3	demo1 - test		
DPE-1	demo request		

At the bottom, it indicates 'Showing 2 items' and an 'Info' icon.

ovvero entriamo nella gestione delle issues. Attraverso questa schermata è possibile selezionare le issue, utilizzando JQL per la ricerca, per comporre la nostra gerarchia. Adesso proviamo ad usarla. Come prima cosa andiamo a selezionare l'opzione **Create Structure** del nuovo menù **Structure**.



a questo punto possiamo iniziare a gestire la nostra struttura gerarchica:



dalla immagine precedente vediamo che possiamo, con un semplice drag & drop, andare a comporre la nostra struttura gerarchica, selezionando le varie issue e costruendo la nostra struttura.

Al termine, sempre dalla sezione **Structure** della pagina

principale di gestione progetti, possiamo andare a gestire il tutto.

The screenshot displays the JIRA 'Structure' view for a project named 'Demo project - Esempio'. The interface is organized into a hierarchical tree structure under the heading 'Organizzazione'. The tree includes folders like 'Prova' and 'Rilascio di esempio', and individual issues like 'ES-2', 'ES-4', 'DPE-1', 'DPE-4', and 'ES-6'. Each issue has a checkbox, a summary, a progress bar, and a 'TP' (Time to Plan) indicator. The left sidebar shows project shortcuts and a 'Give feedback' link. The top navigation bar includes 'Dashboards', 'Projects', 'Issues', 'JExcel', 'Structure', and a 'Create' button.

Conclusioni

Abbiamo visto da vicino questo addon. Possiamo creare in maniera molto semplice una struttura gerarchica che, come struttura di supporto, ci permette di superare la limitazione di task/subtask andando a comporre quanto ci serve. Possiamo anche utilizzare issue di progetti differenti, componendo anche situazioni che richiedono la sincronizzazione di più progetti.

Issue organizer – prova su

strada

Test su strada


In questo post andremo ad eseguire il test dell'addon [Issue Organizer](#), in modo da verificarne e saggiarne le capacità.



Installiamo l'addon

Come sempre, partiamo dalla fase di installazione. Per questo test utilizzeremo una installazione di JIRA CORE, già precedentemente utilizzata per svolgere altri test ☐

Accediamo alla sezione di amministrazione degli addon e selezioniamo il nostro addon.




The screenshot shows the marketplace entry for the 'Structure - The Issue Organizer' addon. It includes the addon's icon, name, category (ALM Works), and Atlassian Verified status. It also displays a 4-star rating from 68 reviews, 2,964 installations, and a 'Paid via Atlassian' label. A 'Free trial' button is visible, along with a 'Buy now' link. The description highlights enterprise-level issue organization and hierarchy features.


	Structure - The Issue Organizer ALM Works •  Atlassian Verified PROJECT MANAGEMENT DASHBOARD GADGETS	★★★★ (68) 2,964 installations Paid via Atlassian	Free trial Buy now
---	--	--	---

Enterprise-level issue organization and hierarchy - multi-level, cross-project, hierarchical lists of issues (not based on sub-tasks) with time aggregation, status rollout, synchronization with Links, JIRA Agile, Subtasks, and more.


Selezioniamo Free trial e successivamente ...



... quindi accettiamo i termini della licenza e procediamo con l'installazione




Procediamo con il download automatico dell'addon, come siamo già abituati, quindi procediamo con l'installazione vera e propria.




Al termine, dato che abbiamo richiesto una installazione trial, procediamo con ottenere la licenza vera e propria

A screenshot of a login window titled "Atlassian account login". The window has a light gray header bar with the title. Below the header, the text "Log in with your Atlassian account to start your trial." is displayed. Underneath this text are two input fields: "Email*" and "Password*", each with a red asterisk indicating a required field. To the right of the "Password*" field is a link that says "Lost password". At the bottom right of the window are two buttons: "Log in" (a blue button with white text) and "Cancel" (a light gray button with dark gray text).

forniamo quindi le nostre credenziali ...



... quindi terminiamo la fase di installazione. Siamo adesso pronti a gestire il tutto.



Configurazione

Terminata la fase di installazione, viene subito presentata la parte di configurazione, come mostrato in figura.

Administration

Search JIRA admin

ApplicationsProjectsIssuesAdd-onsUser managementSystem**Structure**

STRUCTUREADMINISTRATIONConfigurationDefaultsRestore from 2.x BackupMaintenanceLicense DetailsSupportSetup Guide

Structure Setup Guide

Thank you for installing Structure! Please go through the instructions on this page to make sure Structure is rolled out in the best way. To learn more about using Structure, check out [Getting Started](#) page.

Required Configuration — Completed

✔ License is Installed

Structure has a valid license key, issued by Atlassian. You can manage the license and see the details in [Plugin Manager](#).

✔ Structure is Enabled for One Project

You can change the selection of structure-enabled projects on the [Configuration](#) page.

Optional Configuration

- [Specify users who can work with Structure](#) to further limit access to Structure. Please note that to use Structure, a user also needs access to a structure-enabled project — this might already be a sufficient limitation.
- [Limit who can create new structures](#) (the structure creator also needs general access to Structure).

Una piccola annotazione: Notiamo che è stato aggiunto un nuovo TAB, **Structure**, da cui accedere alla configurazione particolare. Questo significa che NON TUTTI gli addon aggiungono le proprie configurazioni nella sezione di **Addons**.

Esaminiamo le varie opzioni della configurazione.

ApplicationsProjectsIssuesAdd-onsUser managementSystem**Structure**

STRUCTUREADMINISTRATION**Configuration**DefaultsRestore from 2.x BackupMaintenanceLicense DetailsSupportSetup Guide

Projects with Structure

Structure enabled for projects: All projects

Enable/Disable Structure in Projects

Users of Structure

Structure enabled for users: Everyone


Select Structure Users

Permission to Create Structures


New structures can be created by: Anyone with access to Structure

Select Who Can Create Structures

L'opzione **Configuration** , permette di settare quali progetti possono usare l'addon, quali utenti e quali permission, come mostrato nella figura precedente. Nella figura successiva abbiamo il dettaglio per comprendere come si settano le varie opzioni.



Selezionando l'opzione **Defaults**, abbiamo le indicazioni di che cosa sarà visualizzato dall'addon.



Come mostrato in figura precedente, abbiamo la possibilità di poter modificare la struttura da mostrare e la view di default da mostrare. Se non viene specificato nulla, allora l'addon propone una sua view standard, che potrebbe anche rispondere alle esigenze di molti.

Selezionando l'opzione **Restore from backup 2.X...**, viene messa a disposizione una opzione per poter importare tutte le configurazioni che sono state esportate da una precedente versione dell'addon.

The screenshot shows the 'Structure' tab in the JIRA administration menu. The left sidebar contains links for 'STRUCTURE', 'ADMINISTRATION', 'Configuration', 'Defaults', 'Restore from 2.x Backup' (which is highlighted), 'Maintenance', 'License Details', 'Support', and 'Setup Guide'. The main content area is titled 'Restore Structure from Backup'. It contains a warning box stating: 'This operation completely restores structure from a backup file. The current Structure data (all structures, synchronizers, views) is deleted. Only relationships between items are restored. If you are restoring JIRA from backup, first restore issues, then structure. The issues are identified by their internal numeric ID, so this method won't work if you transferred issues via Project Import.' Below this is a section 'Use Restore Structure when:' with three bullet points: 'The backup was made on this JIRA instance or on its predecessor', 'and, you need to fully restore structure data', and 'and, you can lose the current structure data stored on this JIRA instance (issues are not affected, only their organization into structures)'. At the bottom, there is a text input field for 'File name (.xml or .zip)' and a 'Restore' button.

Selezionando l'opzione **Maintenance**, accediamo al pannello di controllo di manutenzione dell'addon, da dove è possibile eseguire delle operazioni di ottimizzazione e sistemazione dei dati dell'addon.

The screenshot shows the 'Structure Maintenance' page. The left sidebar is identical to the previous screenshot, with 'Maintenance' highlighted. The main content area is titled 'Structure Maintenance' and includes a help icon. It contains a text box explaining that scheduling automatic structure maintenance allows for periodic optimization and backup of database tables, and that database optimization tasks remove stale data. Below this is a section 'Scheduled Maintenance' with a status box indicating 'Scheduled maintenance is enabled and runs daily', 'Last run: never performed', and 'Next run: Apr 26, 2016 3:00:00 AM PDT'. A 'Configure Scheduled Maintenance' button is located below the status box. Further down is a section 'Run Maintenance Now' with a status box indicating 'Last manual run: never performed'. At the bottom, there are two checkboxes: 'Optimize favorites' (checked) and 'Optimize structures' (checked), each with a brief description of the action.

Se selezioniamo l'opzione **License Details**, saranno mostrate le informazioni di licenza dell'addon, come mostrato in figura.

Applications Projects Issues Add-ons User management System **Structure**

STRUCTURE
ADMINISTRATION
Configuration
Defaults
Restore from 2.x Backup
Maintenance
License Details
Support
Setup Guide

Structure Plugin License ?

Maintenance Expires Soon

Maintenance subscription expires on May 24, 2016. Unless maintenance is renewed, you won't be able to upgrade Structure to versions released after that date.

[Manage Structure License in the Plugin Manager](#)
[Structure on the Atlassian Marketplace](#)

Plugin Information

Version: 3.0.1.jira7
Release Date: Apr 11, 2016
Server ID: BWL1-JX72-12RW-6HYG

Current License

License Type: Evaluation License
Licensed To: Fabio Genovese

Selezionando l'opzione **Structure Support**, si accede ad una pagina che fornisce tutte le indicazioni per richiedere il supporto ☐

Applications Projects Issues Add-ons User management System **Structure**

STRUCTURE
ADMINISTRATION
Configuration
Defaults
Restore from 2.x Backup
Maintenance
License Details
Support
Setup Guide

Structure Support

Troubleshooting

Please consult the following resources or get help from our support.

- [Frequently Asked Questions \(Documentation\)](#)
- [Troubleshooting Instructions \(Documentation\)](#)
- [Atlassian Answers \(Community Help\)](#)
- [File Support Request \(ALM Works JIRA\)](#)
- [Send E-mail to ALM Works Support](#)

Collecting Support ZIP

ALM Works support may ask you to collect a support ZIP for further log analysis. Please use the following instructions.

1. Open [Logging and Profiling](#) page. Enter **STRUCTURE TROUBLESHOOTING** into the **Optional Message** field, turn on **Log Rollover** and press **Mark**. Scroll down and click **Configure logging level for another package**, enter package name `com.almworks.jira.structure`, select logging level **DEBUG** and click **Add**.
2. Reproduce the problem.
3. Open [Atlassian Support Tools](#), switch to **Support Zip** tab. Select options **Application Properties**, **Thread Dump**, **JIRA Application Logs**, **Tomcat Logs**, **Limit File Sizes**. Unselect all other options. Click **Create**.
4. Send the resulting ZIP file to ALM Works support or attach it to the support request.

Synchronizer Audit Log

You can **review** all actions performed by synchronizers and selectively **undo** changes in JIRA. Use this resource to detect and remedy the consequences of

Selezionando l'opzione **Setup Guide**, mostriamo nuovamente questa pagina:

Administration

Search JIRA admin

Applications

Projects

Issues

Add-ons

User management

System

Structure

STRUCTURE

ADMINISTRATION

Configuration

Defaults

Restore from 2.x Backup

Maintenance

License Details

Support

Setup Guide

Structure Setup Guide

Thank you for installing Structure! Please go through the instructions on this page to make sure Structure is rolled out in the best way. To learn more about using Structure, check out [Getting Started](#) page.

Required Configuration — Completed

✔ License is Installed

Structure has a valid license key, issued by Atlassian. You can manage the license and see the details in [Plugin Manager](#).

✔ Structure is Enabled for One Project

You can change the selection of structure-enabled projects on the [Configuration](#) page.

Optional Configuration

Specify users who can work with Structure to further limit access to Structure. Please note that to use Structure, a user also needs access to the project — this might already be a sufficient limitation.

Limit who can create new structures (the structure creator also needs general access to Structure).

Conclusione

Terminiamo qui questo post. Abbiamo visto la fase di installazione e abbiamo descritto le opzioni di configurazione, che sono abbastanza complesse. Proseguiamo il test nel prossimo post.

Reference

Maggiori informazioni sull'addon sono presenti [qui](#).

Issue organizer – First look

Esplorazione continua su JIRA

In questo post andremo ad esaminare un addon che introduce una caratteristica molto interessante su JIRA, ovvero la possibilità di poter introdurre un sistema multilivello per le issues, superando il limite di task/sub task attualmente presente nelle funzionalità standard.

 ATlassian

logo

addon

Structure Issue Organizer

Si tratta di un addon, rilasciato dalla [almworks](#), che consente di poter introdurre un multilivello tra e varie issue.



Dalla immagine sopra riportata, vediamo che l'addon mette a disposizione la possibilità di poter creare, anche su più progetti, delle gerarchie costruendole in modo opportuno.



Tra le altre funzionalità, segnaliamo la possibilità di inserire il progress delle varie issues oltre che eseguire un bilanciamento del carico di lavoro tra i vari componenti del

team.



Conclusioni

L'addon presenta delle funzionalità molto interessanti. Nei prossimi post andremo ad esaminare su strada questo addon, saggiandone le prestazioni.

Reference

Maggiori informazioni sull'addon sono presenti [qui](#).

Test su strada – Kanban Combined WIP extension

Prova su strada

In questo post andremo a testare questo [addon](#), precedentemente descritto. Andiamo a vedere come si comporta alla prova. Prima di eseguire il test, andiamo a rivedere le variazioni dell'addon.

Piccola review

L'addon, adesso compatibile con JIRA 7, permette di estendere le caratteristiche della Board Agile (quindi disponibile per JIRA Software) dandoci la possibilità di poter aggiungere delle note di colore e alcune caratteristiche che possono tornare sempre utili.



Risulta possibile anche combinare le colonne in modo da ... raggrupparle




Non indugiamo oltre ed andiamo a testare immediatamente questo addon ☐




Vediamo l'installazione

Procediamo con l'installazione, come siamo già ben abituati dalle procedure di amministrazione. Se passiamo dalle procedure di amministrazione, andiamo a selezionare il nostro


addon e procediamo con l'installazione:



lasciamo che la procedura completi il suo iter...



Dato che si tratta di un addon free (al momento in cui viene redatto il post), non viene richiesta alcuna registrazione.



Completato il tutto, il nostro addon è pronto, come possiamo vedere nella immagine successiva.




Configurazione

Non abbiamo alcuna sezione dedicata alla configurazione dell'addon. Quindi procediamo con il nostro test.


Test test test test test

Andiamo a testare l'addon, andando a creare un progetto di prova, creando a relativa board.




Come possiamo vedere dalla precedente immagine, abbiamo l'aggiunta dei seguenti elementi

- Possibilità di eseguire uno ZOOM della Board, utile quando abbiamo a disposizione un numero molto alto di colonne, come mostrato in figura




- Possibilità di **raggruppare** le colonne. Questo è sicuramente utile nel caso in cui si voglia evidenziare una **macrofase** all'interno del workflow, come mostrato in seguito. Basta semplicemente indicare le colonne come **<nome_macrofase>::<nome_colonna>**, ed il gioco è



fatto.

- Possibilità di aggiungere dei colori. Un codice di colori è sicuramente utile per poterci facilitare la



lettura delle colonne.

Conclusione

Si tratta di un addon che presenta caratteristiche interessanti. La possibilità di poter raggruppare le colonne risulta sicuramente utile per evidenziare delle macrofasi, mentre lo zoom aiuta in quelle situazioni in cui necessitiamo di un numero di fasi molto alto.

Reference

- [Link all'addon su Atlassian Market](#)

Script Runner – Prova su strada #2

Prova su strada #2

Proseguiamo la prova su strada. Nella prima parte abbiamo visto installazione e configurazione dell'addon. Passiamo adesso all'utilizzo.



Utilizzo addon

Vediamo come utilizzare questo addon. Nel post precedente abbiamo visto come installarlo e che cosa offre come configurazione. Passiamo all'utilizzo vero e proprio :-).

Come prima cosa, generiamo un progetto ad hoc, da usare come banco di prova e capire come si utilizza questo addon. Con molta fantasia, andiamo a chiamare il progetto **Script Runner Demo** ☐


The screenshot shows the 'SCRIPT Runner demo' interface. At the top, it displays 'Key: SRD' and 'Lead: Administrator'. Below this, there are tabs for 'Overview' and 'Administration'. The main content area is divided into three sections: 'Summary', 'Issues: 30 Day Summary', and 'Activity Stream'. The 'Summary' section includes a 'Welcome to your project' message and a 'Change the project description details about your project' link. The 'Issues: 30 Day Summary' section shows a single issue with a red vertical bar. The 'Activity Stream' section shows a list of recent activities, including 'Administrator started progress on SRD-1 - test - AA', 'Administrator removed the Assignee of SRD-1 - test - AA', and 'Administrator changed the status to Done on SRD-1 - test - AA with a resolution of Done'.

Questo progetto presenta un Workflow molto semplice. A tale scopo, prima di proseguire, consigliamo la lettura del miei post, [dedicati al Workflow ed alla loro spiegazione](#). Il nostro progetto di test presenta un workflow molto semplice, come mostrato in figura:

Workflows

SRD: Simple Issue Tracking Workflow **DRAFT** **SHARED BY 1 PROJECT**

Diagram Text Export



A questo punto, introduciamo lo scriptrunner. Supponiamo di voler eseguire una riassegnazione automatica della Issue, quando si apre nuovamente la stessa. Vediamo come configurarla. Selezioniamo la transazione che ci interessa:

Transition: Reopen and start progress

[Edit](#) [View Properties](#) [Delete](#) [?](#)


Screen: None - it will happen instantly

[Triggers \(0\)](#) [Conditions \(1\)](#) [Validators \(0\)](#) [Post Functions \(7\)](#)

The following will be processed after the transition occurs

[Add post function](#)

1. The **Resolution** of the issue will be **cleared**.
2. Set issue status to the linked status of the destination workflow step.
3. Assign the issue to the current user. Please note that the issue will only be assigned to the current user if the current user has the 'Assignable User' permission.
4. Add a comment to an issue if one is entered during a transition.

Aggiungiamo una **Post Functions**. Selezioniamo **Script Post-Function**, come tipo di funzione, come mostrato in figura:

Administration
Search JIRA admin

[Projects](#)
[Issues](#)
[User management](#)
[System](#)
[Add-ons](#)

Add Post Function To Transition

Name	Description
☐ Assign to Lead Developer	Assigns the issue to the project/component lead developer
☐ Assign to Reporter	Assigns the issue to the reporter
☐ Create Perforce Job Function	Creates a Perforce Job (if required) after completing the workflow transition.
☐ Exocet: Create a new Confluence page	This post function creates a new Confluence page based on an Exocet operation
☐ Exocet: Create a new issue	This post function creates a new issue based on an Exocet operation
☐ Notify HipChat	Send a notification to one or more HipChat rooms.
☒ Script Post-Function	Runs a script in a post-function, or a built-in script.
☐ Trigger a Webhook	If this post-function is executed, JIRA will post the issue content in JSON format to the URL specified.
☐ Update Issue Field	Updates a simple issue field to a given value.

Confermiamo ed andiamo a selezionare il tipo di script che vogliamo attivare:

Select script

Click on a script and add parameters. For running your own code select Custom script post-function.

- [Add/remove from sprint \(Unavailable\)](#)
Unavailable because JIRA Agile/JIRA Software is not installed/enabled: Add/remove the issue to/from a sprint on transition
- [Adds a comment to all blocked issues when this issue is transitioned](#)
Useful for alerting participants of other issues that a blocker is resolved, etc.
This function should be put on the Resolve transition (or similar).
- [Adds the current user as a watcher](#)
Adds the user performing the action as a watcher, if condition applies
- [Assign to first member of role](#)
Assign to the first member of the specified role
- [Assign to last role member](#)
Assign this issue to the last user from the specified role who this issue was assigned to previously.
- [Clones an issue and links](#)
Clones this issue to another issue, optionally in another project, and optionally a different issue type.
- [Create a sub-task](#)
Create a sub-task. Will optionally reopen a matching sub-task.
- [Custom script post-function](#)
Run your own groovy script from a file or entered into JIRA.
- [Fast-track transition an issue](#)
If the condition is met, automatically transition this issue to another status
- [Fires an event when condition is true](#)
Fires an event that can be picked up by a notification scheme, in order to send mail only under certain conditions, eg Priority is Blocker
- [Send a custom email](#)
Send an email based on the provided template if conditions are met

selezioniamo ***Assign to first member of role***, andando avanti nel wizard ...

Select script

Click on a script and add parameters. For running your own code select Custom script post-function.

- [Assign to first member of role](#)
Assign to the first member of the specified role

Note

An optional note, used only for your reference.

Role

Specify the role the previous assignee must be in

[Cancel](#)

... selezioniamo il ruolo che ci interessa (nel nostro caso va benissimo anche Administrator). Selezioniamo **Add**, confermando a questo punto anche la nostra Post Function □



Screen: None - it will happen instantly

Triggers 0

Conditions 1

Validators 0

Post Functions 8

The following will be processed after the transition occurs

[Add post function](#)

1. Script workflow function : Assign this issue to the first member of the **Administrators** role

[+](#) [+](#) [✎](#) [✖](#)

⌚ Has not run yet

Come mostrato dalla precedente immagine, abbiamo il tutto. Procediamo con una semplice demo. A tale scopo mi servirò di un semplice applicativo che registra delle GIF animate e che mostra il risultato ☐

JIRA Dashboards - Projects - Issues - Agile - Tests - Create Search

SCRIPT Runner demo
Key: SRD Lead: Administrator

Overview Administration

Summary

Welcome to your project

Everything you need to know about how your project is running is tracked on this page. As your project evolves, the information will be updated. Use the tabs on the left to navigate within your project.

Change the **project** description details about your project

Issues: 30 Day Summary

1

Activity Stream

Today

- Administrator started progress on SRD-1 - test - AA
21 minutes ago - Comment
- Administrator removed the Assignee of SRD-1 - test - AA
21 minutes ago - Comment
- Administrator changed the status to Done on SRD-1 - test - AA with a reason of 'Done'
21 minutes ago - Comment
- Administrator started progress on SRD-1 - test - AA
21 minutes ago - Comment
- Administrator created SRD-1 - test - AA

Come possiamo osservare, abbiamo che la Issue, in fase di riapertura, viene riassegnata nuovamente ad Administrator.

Conclusioni

Chiudiamo, con questo post, abbiamo visto qui come è possibile utilizzare lo Script Runner per poter gestire delle nuove

situazioni e poter inserire delle funzioni aggiuntive, non presenti nello standard. Questo è, al momento, disponibile solo per le versioni SERVER di JIRA, ma non mettiamo mai limiti. Sono sicuro che la Adaptavist ci stupirà nel prossimo futuro ☐

Ovviamente questo post non esaurisce l'argomento: Ci saranno ulteriori post con aggiornamenti.

Reference

- [Marketplace ScriptRunner](#)
 - [Manualistica Addon](#)
-

JIRA Software – Prova su strada


JIRA Software

In questo post, come per i casi precedenti, andremo ad esaminare come eseguire l'installazione di JIRA Software, esaminandone tutti gli aspetti.



Premessa

Come per quanto riportato in questo [post](#), e successivi, le indicazioni da seguire sono le medesime. Occorre sempre tenere d'acconto le stesse considerazioni. Unica variante, rispetto a quanto indicato nel [post](#), consiste nel fatto che installiamo questa versione solo se abbiamo la necessità di un JIRA che ci supporti nello sviluppo di software. Infatti, questa installazione ci mette a disposizione una serie di strumenti dedicati allo sviluppo software.




A differenza della installazione **JIRA CORE**, abbiamo a disposizione fin da subito le BOARD AGILE, per agevolare lo sviluppo software, tutto già incluso nella installazione, oltre che tutta una serie di strumentazioni che ci agevolano in questo obiettivo.

Installazione Configurazione

&

Che cosa cambia rispetto a quanto descritto per **JIRA CORE**? Assolutamente nulla :-). L'installazione viene eseguita seguendo gli stessi passi e avendo a disposizione le stesse accortezze già descritte nel [post](#). Di conseguenza, vi rimando al post di installazione su **JIRA CORE** per qualsiasi dettaglio, ovvero ai seguenti post:

- [Parte 1](#)
- [Parte 2](#)



Conclusioni

Concludiamo questo post, dove abbiamo specificato una prima

parte. Suggestisco ai lettori di ripassare quanto riportato nei post citati, dedicati a ***JIRA CORE***, prima di passare alle fasi successive.